



**SINGLE CONDUCTOR 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS		
PRINCETON/XLP	6 7w	60	304037A	\$289.00
MERCER/XLP	4 7w	60	304835A	345.00
CLEMSON/XLP	2 7w	60	304142A	421.00
KENYON/XLP	1 19w	80		498.00
HARVARD/XLP	1/0 19w	80	304026A	565.00
YALE/XLP	2/0 19w	80	306056A	684.00
TUFTS/XLP	3/0 19w	80	305307A	757.00
BELOIT/XLP	4/0 19w	80	304182A	881.00
HOFSTRA/XLP	250 37w	95	306192A	1165.00
GONZAGA/XLP	300 37w	95	303382A	1262.00
RUTGERS/XLP	350 37w	95	303971A	1469.00
DARTMOUTH/XLP	400 37w	95		1723.00
EMORY/XLP	500 37w	95	303381A	1967.00
DUKE/XLP	600 61w	110		2462.00
FURMAN/XLP	700 61w	110		2507.00
SEWANEE/XLP	750 61w	110	304571A	2560.00
FORDHAM/XLP	1000 61w	110	305266A	3449.00

**SINGLE CONDUCTOR 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS		
PRINCETON/ST-XL	6 7w	60	304771A	398.00
MERCER/ST-XL	4 7w	60	301033A	416.00
CLEMSON/ST-XL	2 7w	60	301026A	512.00
KENYON/ST-XL	1 19w	80		562.00
HARVARD/ST-XL	1/0 19w	80	301099A	670.00
YALE/ST-XL	2/0 19w	80	301100A	759.00
TUFTS/ST-XL	3/0 19w	80	303010A	804.00
*BELOIT/ST-XL	4/0 19w	80	301101A	942.00
HOFSTRA/ST-XL	250 37w	95	301077A	1344.00
GONZAGA/ST-XL	300 37w	95		1409.00
*RUTGERS/ST-XL	350 37w	80	301102A	1680.00
*EMORY/ST-XL	500 37w	80	301103A	2025.00
SEWANEE/ST-XL	750 61w	110	305703A	3029.00
FORDHAM/ST-XL	1000 61w	110		3962.00

* INDICATES STANDARD STOCK ITEM

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



Page 1 of 1
 600V Aluminum UD
 Effective: April 27, 2010

**DUPLEX 600 V SECONDARY UD XLP
 ALUMINUM UNDERGROUND DISTRIBUTION CABLE
 THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
BARD/XLP/3YS	8 7w	60	8 7w		\$504.00
CLAFLIN/XLP/3YS	6 7w	60	6 7w	303820A	571.00
DELGADO/XLP/3YS	4 7w	60	4 7w	303017A	713.00

**DUPLEX 600 V SECONDARY UD SUPTERTUF®
 ALUMINUM UNDERGROUND DISTRIBUTION CABLE
 THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
*BARD/ST-XLP/3YS	8 7w	30/30	8 7w	301104A	\$518.00
*CLAFLIN/ST-XL/3YS	6 7w	30/30	6 7w	301105A	589.00
*DELGADO/ST-XL/3YS	4 7w	30/30	4 7w	301106A	712.00

*** INDICATES STANDARD STOCK ITEM**
 NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES
 PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



**TRIPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
ERSKINE/XLP/3YS	6 7w	60	6 7w	303736A	\$802.00
VASSAR/XLP/3YS	4 7w	60	4 7w	303018A	949.00
STEPHENS/XLP/3YS	2 7w	60	4 7w	301801A	1140.00
RAMAPO/XLP/3YS	2 7w	60	2 7w	303029A	1164.00
*BRENAU/XLP/3YS	1/0 19w	80	2 7w	300328A	1466.00
BERGEN/XLP/3YS	1/0 19w	80	1/0 19w	303589A	1599.00
*CONVERSE/XLP/3YS	2/0 19W	80	1 19W	300329A	1676.00
HUNTER/XLP/3YS	2/0 19W	80	2/0 19W	303587A	1808.00
HOLLINS/XLP/3YS	3/0 19W	80	1/0 19w	303449A	2030.00
ROCKLAND/XLP/3YS	3/0 19w	80	3/0 19w		2368.00
*SWEETBRIAR/XLP/3YS	4/0 19W	80	2/0 19W	300330A	2280.00
MONMOUTH/XLP/3YS	4/0 19W	80	4/0 19W	303026A	2552.00
PRATT/XLP/3YS	250 37W	95	3/0 19W	301799A	3113.00
*WESLEYAN/XLP/3YS	350 37W	95	4/0 19W	300331A	3871.00
RIDER/XLP/3YS	500 37W	95	350 37W	303819A	5465.00

**TRIPLEX 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
*ERSKINE/ST-XL/3YS	6 7w	30/30	6 7w	301110A	\$828.00
*VASSAR/ST-XL/3YS	4 7w	30/30	4 7w	301116A	1015.00
*STEPHENS/ST-XL/3YS	2 7w	30/30	4 7w	301114A	1199.00
RAMAPO/ST-XL/3YS	2 7w	30/30	2 7w	303112A	1231.00
*BRENAU/ST-XL/3YS	1/0 19w	40/40	2 7w	301108A	1510.00
BERGEN/ST-XL/3YS	1/0 19w	40/40	1/0 19w	301107A	1768.00
*CONVERSE/ST-XL/3YS	2/0 19W	40/40	1 19W	301109A	1727.00
HUNTER/ST-XL/3YS	2/0 19W	40/40	2/0 19W	303113A	1956.00
*HOLLINS/ST-XL/3YS	3/0 19W	40/40	1/0 19w	301111A	2159.00
*SWEETBRIAR/ST-XL/3YS	4/0 19W	40/40	2/0 19W	301115A	2349.00
MONMOUTH/ST-XL/3YS	4/0 19W	40/40	4/0 19W	301112A	2743.00
*WESLEYAN/ST-XL/3YS	350 37W	40/40	4/0 19W	301117A	3909.00
WESLEYAN/ST-XL/3YS	350 37W	50/45	4/0 19W	301031A	3985.00
RIDER/ST-XL/3YS	500 37W	40/40	350 37W	303093A	5443.00
RIDER/ST-XL/3YS	500 37W	50/45	350 37W	303925A	5633.00

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



**QUADRUPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
TULSA/XLP/3YS	4 7w	60	4 7w	303509A	\$1,241.00
DYKE/XLP/3YS	2 7w	60	4 7w	303505A	1503.00
WITTENBURG/XLP/3YS	2 7w	60	2 7w	300306A	1529.00
NOTRE DAME/XLP/3YS	1/0 19w	80	2 7w	303508A	2036.00
PURDUE/XLP/3YS	1/0 19w	80	1/0 19w	304858A	2169.00
SYRACUSE/XLP/3YS	2/0 19w	80	1 19w	303507A	2360.00
LAFAYETTE/XLP/3YS	2/0 19w	80	2/0 19w		2648.00
SWARTHMORE/XLP/3YS	3/0 19w	80	1/0 19w		3203.00
DAVIDSON/XLP/3YS	3/0 19w	80	3/0 19w		3406.00
WAKE FOREST/XLP/3YS	4/0 19w	80	2/0 19w	303510A	3396.00
EARLHAM/XLP/3YS	4/0 19w	80	4/0 19w	304023A	3454.00
SLIPPERY ROCK/XLP/3YS	350 37w	95	4/0 19w		5918.00

**QUADRUPLEX 600 V SECONDARY UD SUPERTUF® -XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
TULSA/ST-XL/3YS	4 7w	30/30	4 7w		\$1,305.00
DYKE/ST-XL/3YS	2 7w	30/30	4 7w		1548.00
WITTENBURG/ST-XL/3YS	2 7w	30/30	2 7w		1590.00
*NOTRE DAME/ST-XL/3YS	1/0 19w	40/40	2 7w	301118A	2251.00
SYRACUSE/ST-XL/3YS	2/0 19w	40/40	1 19w		2460.00
*WAKE FOREST/ST-XL/3YS	4/0 19w	40/40	2/0 19w	301120A	3499.00
*SLIPPERY ROCK/ST-XL/3YS	350 37w	40/40	4/0 19w	301119A	5710.00
SLIPPERY ROCK/ST-XL/3YS	350 37w	50/45	4/0 19w		6096.00
WOFFORD/ST-XL/3YS	500 37w	40/40	350 37w	301025A	8138.00

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES
PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS

DUPLEX 600 V SECONDARY UD SUPERSEAL™
 ALUMINUM UNDERGROUND DISTRIBUTION CABLE
 THREE EXTRUDED YELLOW STRIPES

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR		BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	
CLAFLIN/SUPERSEAL/3YS	6 7w	60	6 7w	60	\$ 660.00
DELGADO/SUPERSEAL/3YS	4 7w	60	4 7w	60	797.00

TRIPLEX 600 V SECONDARY UD SUPERSEAL™
 ALUMINUM UNDERGROUND DISTRIBUTION CABLE
 THREE EXTRUDED YELLOW STRIPES

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR		BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	
ERSKINE/SUPERSEAL/3YS	6 7w	60	6 7w	60	\$ 927.00
RAMAPO/SUPERSEAL/3YS	2 7w	60	2 7w	60	1,379.00
BRENAU/SUPERSEAL/3YS	1/0 19w	80	2 7w	60	1,630.00
BERGEN/SUPERSEAL/3YS	1/0 19w	80	1/0 19w	80	1,909.00
CONVERSE/SUPERSEAL/3YS	2/0 19W	80	1 19W	80	1,865.00
HUNTER/SUPERSEAL/3YS	2/0 19W	80	2/0 19W	80	2,112.00
*SWEETBRIAR/SUPERSEAL/3	4/0 19w	80	2/0 19w	80	2,537.00
MONMOUTH/SUPERSEAL/3YS	4/0 19w	80	4/0 19w	80	2,962.00
WESLEYAN/SUPERSEAL/3YS	350 37W	80	4/0 19W	80	4,222.00

QUADRUPLEXED 600 V SECONDARY UD SUPERSEAL™
 ALUMINUM UNDERGROUND DISTRIBUTION CABLE
 THREE EXTRUDED YELLOW STRIPES

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR		BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	
WITTENBURG/SUPERSEAL/3Y	2 7w	60	2 7w	60	\$ 1,781.00
NOTRE DAME/SUPERSEAL/3Y	1/0 19w	80	2 7w	60	2,431.00
WAKE FOREST/SUPERSEAL/3	4/0 19W	80	2/0 19W	80	3,779.00
SLIPPERY ROCK/SUPERSEAL	350 37W	80	4/0 19W	80	6,583.00

* INDICATES STANDARD STOCK ITEM

NON-STOCK ITEMS SUBJECT TO 10,000 MINIMUM PRODUCTION QUANTITIES.

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS.