



**SINGLE CONDUCTOR 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS		
PRINCETON/XLP	6 7w	60	304037A	\$215.00
MERCER/XLP	4 7w	60	304835A	257.00
CLEMSON/XLP	2 7w	60	304142A	313.00
KENYON/XLP	1 19w	80		371.00
HARVARD/XLP	1/0 19w	80	304026A	421.00
YALE/XLP	2/0 19w	80	306056A	510.00
TUFTS/XLP	3/0 19w	80	305307A	563.00
BELOIT/XLP	4/0 19w	80	304182A	656.00
HOFSTRA/XLP	250 37w	95	306192A	868.00
GONZAGA/XLP	300 37w	95	303382A	939.00
RUTGERS/XLP	350 37w	95	303971A	1094.00
DARTMOUTH/XLP	400 37w	95		1283.00
EMORY/XLP	500 37w	95	303381A	1464.00
DUKE/XLP	600 61w	110		1833.00
FURMAN/XLP	700 61w	110		1867.00
SEWANEE/XLP	750 61w	110	304571A	1906.00
FORDHAM/XLP	1000 61w	110	305266A	2568.00

**SINGLE CONDUCTOR 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS		
PRINCETON/ST-XL	6 7w	60	304771A	296.00
MERCER/ST-XL	4 7w	60	301033A	284.00
CLEMSON/ST-XL	2 7w	60	301026A	381.00
KENYON/ST-XL	1 19w	80		419.00
HARVARD/ST-XL	1/0 19w	80	301099A	499.00
YALE/ST-XL	2/0 19w	80	301100A	565.00
TUFTS/ST-XL	3/0 19w	80	303010A	599.00
*BELOIT/ST-XL	4/0 19w	80	301101A	701.00
HOFSTRA/ST-XL	250 37w	95	301077A	1001.00
GONZAGA/ST-XL	300 37w	95		1049.00
*RUTGERS/ST-XL	350 37w	80	301102A	1251.00
*EMORY/ST-XL	500 37w	80	301103A	1508.00
SEWANEE/ST-XL	750 61w	110	305703A	2256.00
FORDHAM/ST-XL	1000 61w	110		2951.00

* INDICATES STANDARD STOCK ITEM

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



Page 1 of 1

600V Aluminum UD

Effective: September 15, 2009

**DUPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
BARD/XLP/3YS	8 7w	60	8 7w		\$375.00
CLAFLIN/XLP/3YS	6 7w	60	6 7w	303820A	425.00
DELGADO/XLP/3YS	4 7w	60	4 7w	303017A	530.00

**DUPLEX 600 V SECONDARY UD SUPTERTUF®
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
*BARD/ST-XLP/3YS	8 7w	30/30	8 7w	301104A	\$386.00
*CLAFLIN/ST-XL/3YS	6 7w	30/30	6 7w	301105A	438.00
*DELGADO/ST-XL/3YS	4 7w	30/30	4 7w	301106A	530.00

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS

**TRIPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
ERSKINE/XLP/3YS	6 7w	60	6 7w	303736A	\$597.00
VASSAR/XLP/3YS	4 7w	60	4 7w	303018A	707.00
STEPHENS/XLP/3YS	2 7w	60	4 7w	301801A	867.00
RAMAPO/XLP/3YS	2 7w	60	2 7w	303029A	848.00
*BRENAU/XLP/3YS	1/0 19w	80	2 7w	300328A	1092.00
BERGEN/XLP/3YS	1/0 19w	80	1/0 19w	303589A	1191.00
*CONVERSE/XLP/3YS	2/0 19W	80	1 19W	300329A	1248.00
HUNTER/XLP/3YS	2/0 19W	80	2/0 19W	303587A	1346.00
HOLLINS/XLP/3YS	3/0 19W	80	1/0 19w	303449A	1512.00
ROCKLAND/XLP/3YS	3/0 19w	80	3/0 19w		1763.00
*SWEETBRIAR/XLP/3YS	4/0 19W	80	2/0 19W	300330A	1698.00
MONMOUTH/XLP/3YS	4/0 19W	80	4/0 19W	303026A	1900.00
PRATT/XLP/3YS	250 37W	95	3/0 19W	301799A	2318.00
*WESLEYAN/XLP/3YS	350 37W	95	4/0 19W	300331A	2882.00
RIDER/XLP/3YS	500 37W	95	350 37W	303819A	4070.00

**TRIPLEX 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
*ERSKINE/ST-XL/3YS	6 7w	30/30	6 7w	301110A	\$617.00
*VASSAR/ST-XL/3YS	4 7w	30/30	4 7w	301116A	756.00
*STEPHENS/ST-XL/3YS	2 7w	30/30	4 7w	301114A	893.00
RAMAPO/ST-XL/3YS	2 7w	30/30	2 7w	303112A	917.00
*BRENAU/ST-XL/3YS	1/0 19w	40/40	2 7w	301108A	1125.00
BERGEN/ST-XL/3YS	1/0 19w	40/40	1/0 19w	301107A	1316.00
*CONVERSE/ST-XL/3YS	2/0 19W	40/40	1 19W	301109A	1286.00
HUNTER/ST-XL/3YS	2/0 19W	40/40	2/0 19W	303113A	1456.00
*HOLLINS/ST-XL/3YS	3/0 19W	40/40	1/0 19w	301111A	1608.00
*SWEETBRIAR/ST-XL/3YS	4/0 19W	40/40	2/0 19W	301115A	1749.00
MONMOUTH/ST-XL/3YS	4/0 19W	40/40	4/0 19W	301112A	2043.00
*WESLEYAN/ST-XL/3YS	350 37W	40/40	4/0 19W	301117A	2912.00
WESLEYAN/ST-XL/3YS	350 37W	50/45	4/0 19W	301031A	2968.00
RIDER/ST-XL/3YS	500 37W	40/40	350 37W	303093A	4053.00
RIDER/ST-XL/3YS	500 37W	50/45	350 37W	303925A	4195.00

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



**QUADRUPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-105-692

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
TULSA/XLP/3YS	4 7w	60	4 7w	303509A	\$924.00
DYKE/XLP/3YS	2 7w	60	4 7w	303505A	1119.00
WITTENBURG/XLP/3YS	2 7w	60	2 7w	300306A	1138.00
NOTRE DAME/XLP/3YS	1/0 19w	80	2 7w	303508A	1516.00
PURDUE/XLP/3YS	1/0 19w	80	1/0 19w	304858A	1615.00
SYRACUSE/XLP/3YS	2/0 19w	80	1 19w	303507A	1757.00
LAFAYETTE/XLP/3YS	2/0 19w	80	2/0 19w		1971.00
SWARTHMORE/XLP/3YS	3/0 19w	80	1/0 19w		2386.00
DAVIDSON/XLP/3YS	3/0 19w	80	3/0 19w		2536.00
WAKE FOREST/XLP/3YS	4/0 19w	80	2/0 19w	303510A	2529.00
EARLHAM/XLP/3YS	4/0 19w	80	4/0 19w	304023A	2572.00
SLIPPERY ROCK/XLP/3YS	350 37w	95	4/0 19w		4407.00

**QUADRUPLEX 600 V SECONDARY UD SUPERTUF® -XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-81-570

CODE WORD	PHASE CONDUCTOR		NEUTRAL CONDUCTOR	PART NUMBER	BASE PRICE PER 1000 FEET
	SIZE AND STRANDING AWG/KCMIL	INSULATION THICKNESS MILS	SIZE AND STRANDING AWG/KCMIL		
TULSA/ST-XL/3YS	4 7w	30/30	4 7w		\$971.00
DYKE/ST-XL/3YS	2 7w	30/30	4 7w		1153.00
WITTENBURG/ST-XL/3YS	2 7w	30/30	2 7w		1184.00
*NOTRE DAME/ST-XL/3YS	1/0 19w	40/40	2 7w	301118A	1676.00
SYRACUSE/ST-XL/3YS	2/0 19w	40/40	1 19w		1831.00
*WAKE FOREST/ST-XL/3YS	4/0 19w	40/40	2/0 19w	301120A	2605.00
*SLIPPERY ROCK/ST-XL/3YS	350 37w	40/40	4/0 19w	301119A	4252.00
SLIPPERY ROCK/ST-XL/3YS	350 37w	50/45	4/0 19w		4539.00
WOFFORD/ST-XL/3YS	500 37w	40/40	350 37w	301025A	6060.00

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES
PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS