



**SINGLE CONDUCTOR 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

| CODE WORD | PHASE CONDUCTOR | | PART NUMBER | BASE PRICE PER 1000 FEET |
|---------------|------------------------------|---------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | | |
| PRINCETON/XLP | 6 7w | 60 | 304037A | \$215.00 |
| MERCER/XLP | 4 7w | 60 | 304835A | 257.00 |
| CLEMSON/XLP | 2 7w | 60 | 304142A | 313.00 |
| KENYON/XLP | 1 19w | 80 | | 371.00 |
| HARVARD/XLP | 1/0 19w | 80 | 304026A | 421.00 |
| YALE/XLP | 2/0 19w | 80 | 306056A | 510.00 |
| TUFTS/XLP | 3/0 19w | 80 | 305307A | 563.00 |
| BELOIT/XLP | 4/0 19w | 80 | 304182A | 656.00 |
| HOFSTRA/XLP | 250 37w | 95 | 306192A | 868.00 |
| GONZAGA/XLP | 300 37w | 95 | 303382A | 939.00 |
| RUTGERS/XLP | 350 37w | 95 | 303971A | 1094.00 |
| DARTMOUTH/XLP | 400 37w | 95 | | 1283.00 |
| EMORY/XLP | 500 37w | 95 | 303381A | 1464.00 |
| DUKE/XLP | 600 61w | 110 | | 1833.00 |
| FURMAN/XLP | 700 61w | 110 | | 1867.00 |
| SEWANEE/XLP | 750 61w | 110 | 304571A | 1906.00 |
| FORDHAM/XLP | 1000 61w | 110 | 305266A | 2568.00 |

**SINGLE CONDUCTOR 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

| CODE WORD | PHASE CONDUCTOR | | PART NUMBER | BASE PRICE PER 1000 FEET |
|-----------------------|------------------------------|---------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | | |
| PRINCETON/ST-XL | 6 7w | 60 | 304771A | 296.00 |
| MERCER/ST-XL | 4 7w | 60 | 301033A | 284.00 |
| CLEMSON/ST-XL | 2 7w | 60 | 301026A | 381.00 |
| KENYON/ST-XL | 1 19w | 80 | | 419.00 |
| HARVARD/ST-XL | 1/0 19w | 80 | 301099A | 499.00 |
| YALE/ST-XL | 2/0 19w | 80 | 301100A | 565.00 |
| TUFTS/ST-XL | 3/0 19w | 80 | 303010A | 599.00 |
| *BELOIT/ST-XL | 4/0 19w | 80 | 301101A | 701.00 |
| HOFSTRA/ST-XL | 250 37w | 95 | 301077A | 1001.00 |
| GONZAGA/ST-XL | 300 37w | 95 | | 1049.00 |
| *RUTGERS/ST-XL | 350 37w | 80 | 301102A | 1251.00 |
| *EMORY/ST-XL | 500 37w | 80 | 301103A | 1508.00 |
| SEWANEE/ST-XL | 750 61w | 110 | 305703A | 2256.00 |
| FORDHAM/ST-XL | 1000 61w | 110 | | 2951.00 |

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



Page 1 of 1

600V Aluminum UD

Effective: September 15, 2009

**DUPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-105-692

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|-----------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| BARD/XLP/3YS | 8 7w | 60 | 8 7w | | \$375.00 |
| CLAFLIN/XLP/3YS | 6 7w | 60 | 6 7w | 303820A | 425.00 |
| DELGADO/XLP/3YS | 4 7w | 60 | 4 7w | 303017A | 530.00 |

**DUPLEX 600 V SECONDARY UD SUPTERTUF®
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854, ICEA S-81-570

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|---------------------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| *BARD/ST-XLP/3YS | 8 7w | 30/30 | 8 7w | 301104A | \$386.00 |
| *CLAFLIN/ST-XL/3YS | 6 7w | 30/30 | 6 7w | 301105A | 438.00 |
| *DELGADO/ST-XL/3YS | 4 7w | 30/30 | 4 7w | 301106A | 530.00 |

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS

**TRIPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-105-692

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|----------------------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| ERSKINE/XLP/3YS | 6 7w | 60 | 6 7w | 303736A | \$597.00 |
| VASSAR/XLP/3YS | 4 7w | 60 | 4 7w | 303018A | 707.00 |
| STEPHENS/XLP/3YS | 2 7w | 60 | 4 7w | 301801A | 867.00 |
| RAMAPO/XLP/3YS | 2 7w | 60 | 2 7w | 303029A | 848.00 |
| *BRENAU/XLP/3YS | 1/0 19w | 80 | 2 7w | 300328A | 1092.00 |
| BERGEN/XLP/3YS | 1/0 19w | 80 | 1/0 19w | 303589A | 1191.00 |
| *CONVERSE/XLP/3YS | 2/0 19W | 80 | 1 19W | 300329A | 1248.00 |
| HUNTER/XLP/3YS | 2/0 19W | 80 | 2/0 19W | 303587A | 1346.00 |
| HOLLINS/XLP/3YS | 3/0 19W | 80 | 1/0 19w | 303449A | 1512.00 |
| ROCKLAND/XLP/3YS | 3/0 19w | 80 | 3/0 19w | | 1763.00 |
| *SWEETBRIAR/XLP/3YS | 4/0 19W | 80 | 2/0 19W | 300330A | 1698.00 |
| MONMOUTH/XLP/3YS | 4/0 19W | 80 | 4/0 19W | 303026A | 1900.00 |
| PRATT/XLP/3YS | 250 37W | 95 | 3/0 19W | 301799A | 2318.00 |
| *WESLEYAN/XLP/3YS | 350 37W | 95 | 4/0 19W | 300331A | 2882.00 |
| RIDER/XLP/3YS | 500 37W | 95 | 350 37W | 303819A | 4070.00 |

**TRIPLEX 600 V SECONDARY UD SUPERTUF®-XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**

Specifications: UL 854 TYPE USE-2, ICEA S-81-570

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|------------------------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| *ERSKINE/ST-XL/3YS | 6 7w | 30/30 | 6 7w | 301110A | \$617.00 |
| *VASSAR/ST-XL/3YS | 4 7w | 30/30 | 4 7w | 301116A | 756.00 |
| *STEPHENS/ST-XL/3YS | 2 7w | 30/30 | 4 7w | 301114A | 893.00 |
| RAMAPO/ST-XL/3YS | 2 7w | 30/30 | 2 7w | 303112A | 917.00 |
| *BRENAU/ST-XL/3YS | 1/0 19w | 40/40 | 2 7w | 301108A | 1125.00 |
| BERGEN/ST-XL/3YS | 1/0 19w | 40/40 | 1/0 19w | 301107A | 1316.00 |
| *CONVERSE/ST-XL/3YS | 2/0 19W | 40/40 | 1 19W | 301109A | 1286.00 |
| HUNTER/ST-XL/3YS | 2/0 19W | 40/40 | 2/0 19W | 303113A | 1456.00 |
| *HOLLINS/ST-XL/3YS | 3/0 19W | 40/40 | 1/0 19w | 301111A | 1608.00 |
| *SWEETBRIAR/ST-XL/3YS | 4/0 19W | 40/40 | 2/0 19W | 301115A | 1749.00 |
| MONMOUTH/ST-XL/3YS | 4/0 19W | 40/40 | 4/0 19W | 301112A | 2043.00 |
| *WESLEYAN/ST-XL/3YS | 350 37W | 40/40 | 4/0 19W | 301117A | 2912.00 |
| WESLEYAN/ST-XL/3YS | 350 37W | 50/45 | 4/0 19W | 301031A | 2968.00 |
| RIDER/ST-XL/3YS | 500 37W | 40/40 | 350 37W | 303093A | 4053.00 |
| RIDER/ST-XL/3YS | 500 37W | 50/45 | 350 37W | 303925A | 4195.00 |

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES

PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS



**QUADRUPLEX 600 V SECONDARY UD XLP
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-105-692

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|-----------------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| TULSA/XLP/3YS | 4 7w | 60 | 4 7w | 303509A | \$924.00 |
| DYKE/XLP/3YS | 2 7w | 60 | 4 7w | 303505A | 1119.00 |
| WITTENBURG/XLP/3YS | 2 7w | 60 | 2 7w | 300306A | 1138.00 |
| NOTRE DAME/XLP/3YS | 1/0 19w | 80 | 2 7w | 303508A | 1516.00 |
| PURDUE/XLP/3YS | 1/0 19w | 80 | 1/0 19w | 304858A | 1615.00 |
| SYRACUSE/XLP/3YS | 2/0 19w | 80 | 1 19w | 303507A | 1757.00 |
| LAFAYETTE/XLP/3YS | 2/0 19w | 80 | 2/0 19w | | 1971.00 |
| SWARTHMORE/XLP/3YS | 3/0 19w | 80 | 1/0 19w | | 2386.00 |
| DAVIDSON/XLP/3YS | 3/0 19w | 80 | 3/0 19w | | 2536.00 |
| WAKE FOREST/XLP/3YS | 4/0 19w | 80 | 2/0 19w | 303510A | 2529.00 |
| EARLHAM/XLP/3YS | 4/0 19w | 80 | 4/0 19w | 304023A | 2572.00 |
| SLIPPERY ROCK/XLP/3YS | 350 37w | 95 | 4/0 19w | | 4407.00 |

**QUADRUPLEX 600 V SECONDARY UD SUPERTUF® -XL
ALUMINUM UNDERGROUND DISTRIBUTION CABLE
THREE EXTRUDED YELLOW STRIPES**
Specifications: UL 854 TYPE USE-2, ICEA S-81-570

| CODE WORD | PHASE CONDUCTOR | | NEUTRAL CONDUCTOR | PART NUMBER | BASE PRICE PER 1000 FEET |
|---------------------------------|------------------------------|---------------------------|------------------------------|-------------|--------------------------|
| | SIZE AND STRANDING AWG/KCMIL | INSULATION THICKNESS MILS | SIZE AND STRANDING AWG/KCMIL | | |
| TULSA/ST-XL/3YS | 4 7w | 30/30 | 4 7w | | \$971.00 |
| DYKE/ST-XL/3YS | 2 7w | 30/30 | 4 7w | | 1153.00 |
| WITTENBURG/ST-XL/3YS | 2 7w | 30/30 | 2 7w | | 1184.00 |
| *NOTRE DAME/ST-XL/3YS | 1/0 19w | 40/40 | 2 7w | 301118A | 1676.00 |
| SYRACUSE/ST-XL/3YS | 2/0 19w | 40/40 | 1 19w | | 1831.00 |
| *WAKE FOREST/ST-XL/3YS | 4/0 19w | 40/40 | 2/0 19w | 301120A | 2605.00 |
| *SLIPPERY ROCK/ST-XL/3YS | 350 37w | 40/40 | 4/0 19w | 301119A | 4252.00 |
| SLIPPERY ROCK/ST-XL/3YS | 350 37w | 50/45 | 4/0 19w | | 4539.00 |
| WOFFORD/ST-XL/3YS | 500 37w | 40/40 | 350 37w | 301025A | 6060.00 |

*** INDICATES STANDARD STOCK ITEM**

NON-STOCK ITEMS SUBJECT TO 10,000 FT MINIMUM PRODUCTION QUANTITIES
PRYSMIAN'S TERMS & CONDITIONS APPLY TO ALL QUOTES AND ORDERS